
INSTRUCTION, BMR CYCLE COUNTER KIT KIT P/N 289537-01



CYCLE COUNTER P/N 297347-01 QTY. 1



PAN HEAD SCREW, #4-40 X 1/4" LG. P/N 900024-4 QTY. 4




FLAT WASHER, #4 P/N 902013-03 QTY. 4



PLASTIC TIE, 4" LG. P/N 208153 QTY. 4


MAXON[®] LIFT CORPORATION Sht. 2 of 3 DSG# M-14-14 Rev. A Date: 02/20/17


- Turn OFF the master disconnect switch at the pump box to disconnect battery power from the hydraulic pumps. Refer to BMR Operation Manual for detailed instructions.
- 2. Remove pump cover.
- **3.** Bolt cycle counter (Kit item) to pump mounting panel as shown in **FIG. 2-1**.



NOTE: Refer to **FIG. 2-2** for pump with relay panel, or **FIG. 2-3** for pump with controller.

4. Disconnect existing wire from valve B on the pump (FIGS. 2-2 or 2-3).





MAXON[®] LIFT CORPORATION Sht. 3 of 3 DSG# M-14-14 Rev. A Date: 02/20/17

5. Remove nut and washer from ground post (FIG. 3-1). Then connect black wire to ground post and secure with nut and washer (FIG. 3-1).




FIG. 3-1

NOTE: Existing light blue wire is for pump boxes with a controller (FIG. 2-3). Existing Red wire is for pump boxes with a relay panel (FIG. 2-2).

- **6.** Connect red wire (female positive lock terminal) to valve B (FIGS. 3-2 and 3-2A). Connect remaining red wire (cycle counter) to the light blue wire from controller, or red wire from relay panel FIGS. 3-2 and 3-2A).
- 7. Replace pump cover.
- 8. Turn ON the master disconnect switch at the pump box to connect battery power from the hydraulic pumps. Refer to **BMR Operation** Manual for detailed instructions.

